


## TN Triangular Type Negative With Insert Hole



Grade Selection >>> A2

Chipbreaker Selection >>> From B8

Grade Selection By Work Material >>> From A8

## TN 1604

- $l$  : 16.5
- $s$  : 4.76
- $\phi d$  : 9.525
- $\phi d_1$  : 3.81

SUMICORON (CBN) Inserts **Sumidia (PCD) Inserts** **M14** Ceramic Inserts **B126**

Applicable External Holders **C19 to 25, D15, 18**

Applicable Internal Holders **E33 to E35**

(Legend) Continuous Cut ● : 1st Choice ○ : 2nd Choice Medium Cut ● : 1st Choice ○ : 2nd Choice Interrupted Cut ★ : 1st Choice ☆ : 2nd Choice

Recommended Application	Coat													Coated Cermet	Cermet		Carbide																					
	P steel	M stainless steel	K cast iron	N non-ferrous metal	S exotic alloy	H hardened steel	AC810P	AC820P	AC830P	AC2000	AC610M	AC630M	AC6040M	AC405K	AC415K	AC420K	AC410K	AC503U	AC510U	AC520U	AC530U	ACZ150	T1500Z	T3000Z	T2000Z	T1000A	T1500A	T110A	T1200A	ST10P	ST20E	A30	G10E	EH510	EH520	H1		
Medium-Rough Cut	<b>MU</b>	TNMG 160408N-MU 160412N-MU	0.8 1.2	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●		
	<b>EM</b>	TNMG 160408N-EM 160412N-EM	0.8 1.2	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●		
	<b>ME</b>	TNMG 160408N-ME 160412N-ME	0.8 1.2	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	
	<b>MX</b>	TNMG 160408N-MX 160412N-MX	0.8 1.2	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	
	<b>UZ</b>	TNMG 160404N-UZ 160408N-UZ 160412N-UZ 160416N-UZ 160420N-UZ	0.4 0.8 1.2 1.6 2.0	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	
	<b>GZ</b>	TNMG 160404N-GZ 160408N-GZ 160412N-GZ	0.4 0.8 1.2	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	
	<b>HM</b>	TNMG 160404R-HM 160404L-HM 160408R-HM 160408L-HM	0.4 0.4 0.8 0.8	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	
	<b>MM</b>	TNGG 160404R-MM 160404L-MM 160408R-MM 160408L-MM	0.4 0.4 0.8 0.8	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	
	Heavy Cut	<b>MP</b>	TNMM 160404N-MP 160408N-MP 160412N-MP 160416N-MP	0.4 0.8 1.2 1.6	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●
		<b>HP</b>	TNMM 160408N-HP 160412N-HP	0.8 1.2	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●

B Negative Inserts

C

D

R

S

T

V

W

Solid CBN  
Ceramic